

AGE	DISEASE	VACCINE
CHILDHOOD VACCINES		
Birth	Hepatitis B	H-B-VAX II
6 weeks	Diphtheria, tetanus, pertussis, <i>Haemophilus influenzae</i> type B, hepatitis B, polio } Pneumococcal Rotavirus	INFANRIX HEXA PREVENAR 13 ROTARIX
4 months	Diphtheria, tetanus, pertussis, <i>Haemophilus influenzae</i> type B, hepatitis B, polio } Pneumococcal Rotavirus	INFANRIX HEXA PREVENAR 13 ROTARIX
6 months	Diphtheria, tetanus, pertussis, <i>Haemophilus influenzae</i> type B, hepatitis B, polio } Pneumococcal	INFANRIX HEXA PREVENAR 13
12 months	<i>Haemophilus influenzae</i> type B, meningococcal C Measles, mumps and rubella	MENITORIX MMR II or PRIORIX
18 months	Measles, mumps, rubella, varicella Diphtheria, tetanus, pertussis	PRIORIX TETRA or PROQUAD INFANRIX or TRIPACEL
4 years	Diphtheria, tetanus, pertussis, polio	INFANRIX-IPV
ADOLESCENT VACCINES		
12 years (Year 7 school vaccination program)	Diphtheria, tetanus, pertussis Human papillomavirus (3 doses) Varicella (catch-up only - ends 31 December 2017)	BOOSTRIX GARDASIL VARIVAX or VARILRIX
ADULT VACCINES		
65 years and over	Influenza Pneumococcal*	INFLUENZA PNEUMOVAX 23
70 years	Shingles (from 1 November 2016)	ZOSTAVAX
AT RISK GROUPS		
6 months and over with medical risk conditions Aboriginal 6 months to < 5years Aboriginal 15 years and over Pregnant women	Influenza	INFLUENZA
65 years and over Aboriginal 50 years and over Aboriginal 15-49 years with medical risk factors	Pneumococcal (*refer to the current edition of <i>The Australian Immunisation Handbook</i> for timing of doses)	PNEUMOVAX 23